



Corporation



Telephone: (845) 365-8200 * Website: www.dynarex.com
Toll Free: (888) DYNAREX * Website: www.thcnet.com
Fax: (845) 365-8201

Date Updated: 6/14/12

Page 1 of 2

MATERIAL SAFETY DATA SHEET

Reorder # 1215 - 1216 (Lemon/Glycerin Swabsticks)

Emergency or Information Phone No.: 845-365-8200 (M-F Daytime)

At other times, contact local Poison Control Center.

I PRODUCT IDENTIFICATION

PRODUCT/TRADE NAME: LEMON GLYCERINE SWABS

HAZARD RATING (NFPA)

HEALTH: 0
FLAMMABILITY: 0
REACTIVITY: 0
SPECIFIC: NONE

CHEMICAL NAME: PROPRIETARY MIXTURE

II HAZARDOUS INGREDIENTS PER 29 CFR 1910.1200

| <u>Hazardous Ingredients</u> | <u>%</u> | <u>ACGIH TLV</u> | <u>CAS NUMBER</u> |
|------------------------------|----------|------------------|-------------------|
|------------------------------|----------|------------------|-------------------|

NO HAZARDOUS COMPONENTS

III-PHYSICAL/CHEMICAL CHARACTERISTICS

COLOR/ODOR/APPEARANCE: SWAB SATURATED WITH CLEAR SOLUTION WITH LEMON SCENT.

BOILING POINT: N/A
FLASH POINT: NOT APPLICABLE
VAPOR DENSITY: N/A
EVAPORATION RATE: N/A
SOLUBILITY IN WATER: COMPLETE
SPECIFIC GRAVITY (H₂O = 1): 1.067

IV FIRE & EXPLOSION HAZARD DATA

FLASH POINT(Method Used): OVER 212°F
EXTINGUISHING MEDIA: ANY.
SPECIAL FIRE FIGHTING PROCEDURES: NO SPECIAL PRECAUTIONS NECESSARY
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

V-REACTIVITY DATA

STABILITY: STABLE
INCOMPATIBILITY: NONE KNOWN
HAZARDOUS DECOMPOSITION OF BYPRODUCT NONE
POLYMERIZATION: WILL NOT OCCUR
CONDITIONS TO AVOID: NONE KNOWN

Executive Headquarters: Ten Glenshaw Street, Orangeburg, NY 10962



Corporation



Telephone: (845) 365-8200 * Website: www.dynarex.com
Toll Free: (888) DYNAREX * Website: www.thcnet.com
Fax: (845) 365-8201

Page 2 of 2

VI-HEALTH HAZARD DATA

EFFECTS OF OVER EXPOSURE:

SKIN : IF RASH APPEARS, DISCONTINUE USE

EYES : WILL CAUSE EYE STING IF SPLASHED

INHALATION: NONE

INGESTION: NOT NORMAL ROUTE OF ENTRY

EMERGENCY AND FIRST AID PROCEDURES:

SKIN CONTACT: IF RASH OR IRRITATION DEVELOPS, DISCONTINUE USE

EYE CONTACT: FLUSH WITH COLD WATER FOR 15 MINUTES

INHALATION: MOVE TO FRESH AIR

INGESTION: IF SWALLOWED CALL POISON CONTROL CENTER

TARGET ORGANS: N/A

KNOWN CARCINOGEN: NO

VII-SPILL AND DISPOSAL PROCEDURE

SPILL CONTROL: ELIMINATE ALL SOURCES OF IGNITION

WASTE DISPOSAL METHOD: FLUSH SPILLS WITH WATER. HANDLE AS FLAMMABLE LIQUID. FOLLOW LOCAL STATE AND FEDERAL REGULATIONS.

HANDLING AND STORAGE: STORE AWAY FROM HEAT AND IGNITION SOURCES

VIII-CONTROL MEASURES/PROTECTION

RESPIRATION: USE IF PERMISSIBLE EXPOSURE LEVEL IS EXCEEDED WHEN HANDLING BULK LIQUID.

VENTILATION: RECOMMENDED

PROTECTIVE GLOVES: NONE REQUIRED

EYE PROTECTION: ONLY IF SPLASHING IS EXPECTED

HYGIENIC PRACTICES: GOOD HOUSEKEEPING PRACTICES SHOULD BE FOLLOWED

OTHER: DON'T ALLOW LARGE QUANTITIES OF WASTE TO ACCUMULATE

IX TRANSPORT/SHIPPING

DOT SHIPPING NAME: CONSUMER COMMODITY

TECHNICAL SHIPPING NAME: N/A

DOT SHIPPING CLASSIFICATION: DOT NOT REGULATED

DOT ID NO.:N/A

DOT LABEL REQUIREMENTS: N/A

UN/NA NUMBER REGULATIONS: N/A

REPORTABLE QUANTITY: N/A

X DISCLAIMER

The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and Dynarex Corp. assumes no legal responsibility or liability resulting from its use. This MSDS has been compiled in accordance with - EC Directive 91/155/EC - OSHA's Hazcom Standard (29 CFR 1910.1200). Use product for intended purpose only, within its expiration date.

Executive Headquarters: Ten Glenshaw Street, Orangeburg, NY 10962