CUSTOMER: B0178079 BATCH # 0.21860052

ORDER #: 0161@Y

STICKER #: 021860987

ZONE #: AER2

BARCODE #: 9611019075339517989220

PRODUCT NAME: P-O-W PLUS AEROSOL

-5388

)

MATERIAL SAFETY DATA SHEET: P-O-W PLUS AEROSOL

Page: 1

DATE OF ISSUE

8/27/2001

SUPERSEDES 5/02/2001

SECTION I - GENERAL INFORMATION

Chemical Name & Synonyms N/A

J-000000-

Trade Name & Synonyms P-O-W PLUS AEROSOL

Chemical Family:

PETROLEUM DISTILLATE

Formula Mixture --> X

Manufacturer's Name:

CHEMSEARCH DIV. OF NCH CORP.

Address:

BOX 152170 IRVING,

Prepared By:

TX 75015

5388

Product Code Number

Emergency Phone Number

800-424-9300

K Dickinson/Chemist

SECTION II - HAZARDOUS INGREDIENTS THE HAZARDS PRESENTED BELOW ARE THOSE OF THE INDIVIDUAL COMPONENTS

Chemical Name (Ingredients)
PETROLEUM DISTILLATE, HYDROTREATED LIGHT CARBON DIOXIDE \$ DENOTES OIL MIST VALUES

Hazard COMB/IRR ASPHYY

TLV 100 PPM 1 5000 PPM 1 PEL 500 PPM 2 5000 PPM 2

N/E

N/E

CAS # 64742-47-8 124-38-9

SECTION III - PHYSICAL DATA

Boiling Point (F):	424	Specific Gravity (H20=1):	0.80
Vapor Pressure (MM HG):	<0.1	Color:	COLORLESS
Vapc (Air=1):	5.9	Odor:	PETROLEUM
PH @ 100% :	N/A	Clarity:	TRANSPARENT
% Volatile by Volume:	99	Evaporation Rate (BU A/C=1):	<0.01
H2O Solubility:	NEGLIGIBLE	Viscosity:	NON-VISCOUS

SECTION IV - FIRE AND EXPLOSION HAZARD

Flash Point 192 F / SETA Extinguishing Media
X <--Alcohol Foam

Flammable Limits PETROLEUM DISTILLATES

X <-- CO2

X <--Dry Chemical

X <--Water Spray

<--Other

Special Fire Fighting Procedures: FIREFIGHTERS SHOULD WEAR A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. EXTINGUISHING MEDIA SHOULD BE CHOSEN BASED ON THE NATURE OF THE SURROUNDING FIRE. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY TO PREVENT BURSTING.

Unusual fire and Explosion Hazards:
FLAME EXTENSION IS 336 INCHES, BURNBACK IS 0 INCHES. THE USE OF WATER SPRAY (FOG) WHILE EFFECTIVE, MAY CAUSE FROTHING AND FOAMING. NEVER USE A
WATER JET AS THIS WILL JUST SPREAD THE FIRE. PRODUCT MAY PRODUCE A FLOATING FIRE HAZARD AS LIQUID FLOATS ON WATER.

Aerosol Level (NFPA 30B): 3

NFPA 704 Hazard Rating ring (0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)
2 <--Flammability 0 <--Instability <--Special 1 <--Health 2

SECTION V - HEALTH HAZARD DATA

Threshold Limit Value:

NOT ESTABLISHED FOR MIXTURE. SEE SECTION II.

Effects of Overexposure:

-Acute (Short Term Exposure)

SKIN CONTACT: MAY CAUSE IRRITATION SEEN AS ITCHING AND REDNESS. MAY CAUSE DERMATITIS AND ALLERGIC SKIN REACTION.

EYE CONTACT: CAUSES IRRITATION SEEN AS REDNESS, STINGING AND TEARING. MAY CAUSE CONJUNCTIVITIS.

INHALATION: CAUSES RESPIRATORY IRRITATION SEEN AS COUGHING AND SNEEZING. AT HIGH EXPOSURE LEVELS OF CONCENTRATION, INITIAL SYMPTOMS MAY INCLUDE

HEADACHE, DIZZINESS, ANESTHESIA, DROWSINESS, UNCONSCIOUSNESS, CENTRAL NERVOUS SYSTEM DEPRESSION (INTOXICATION), CARDIAC ARRHYTHMIA AND POSSIBLE DEATH INGESTION AND SUBSEQUENT VOMITING OF THIS PRODUCT CAN LEAD TO ASPIRATION OF THE PRODUCT INTO THE LUNGS WHICH CAN CAUSE DAMAGE AND MAY BE CAUSE GASTROINTESTINAL IRRITATION SEEN AS NAUSEA, VOMITING AND DIARRHEA. INGE

FATA:

-Chronic (Long Term Exposure)

MAY CAUSE SKIN SENSITIZATION IN SOME INDIVIDUALS.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE ARE PRE-EXISTING HEART, CARDIOVASCULAR DISEASES AND RESPIRATORY AND SKIN CONDITIONS SUCH AS ASTHMA, EMPHYSEMA, AND DERMATITIS.

TARGET ORGANS: CENTRAL NERVOUS AND CARDIOVASCULAR SYSTEMS.

SECTION V - HEALTH HAZARD DATA (Continued)

X <--Inhalation <--Ingestion X <--Absorption cimary-Routes-of-Entry nergency and First Aid Procedures:

-Inhalation:

EMOVE FROM THE AREA TO FRESH AIR. SEEK MEDICAL ATTENTION IF RESPIRATORY IRRITATION DEVELOPS OR IF BREATHING BECOMES DIFFICULT.

-Eye Contact:
INSE THE EYES WITH WATER. REMOVE ANY CONTACT LENSES AND CONTINUE FLUSHING WITH PLENTY OF WATER FOR SEVERAL MINUTES. SEEK MEDICAL ATTENTION IF

-Skin Contact:

ASH AFFECTED AREAS WITH PLENTY OF SCAP AND WATER FOR SEVERAL MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS.

IVE 3 TO 4 GLASSES OF WATER, BUT DO NOT INDUCE VOMITING. IF VOMITING OCCURS, GIVE FLUIDS AGAIN. GET IMMEDIATE MEDICAL ATTENTION. DO NOT GIVE NYTHING BY MOUTH TO AN UNCONSCIOUS OR CONVULSING PERSON.

NGESTION AND SUBERQUENT VOMITING OF THIS PRODUCT CAN LEAD TO ASPIRATION OF THE PRODUCT INTO THE LUNGS WHICH CAN CAUSE DAMAGE AND MAY BE FATAL.
EPPENDING ON THE AMOUNT INGESTED AND RETAINED AS WELL AS THE TOXICITY OF THE PRODUCT, GASTRIC LAVAGE SHOULD BE CONSIDERED. KEEP PATIENT'S HEAD BELOW IPS TO PREVENT PULMONARY ASPIRATION. IF COMATOSE, A CUFFED ENDOTRACHAEL TUBE WILL PREVENT ASPIRATION.

SECTION VI - TOXICITY INFORMATION

roduct Contains Chemicals Listed as Carcinogen or Potential Carcinogen By: :ARC--> No OSHA--> No

No NTP--> No ACGIH--> No OTHER--> No

PETROLEUM DISTILLATES, HYDROTREATED LIGHT (BASED ON SIMILAR COMPOUNDS)

ORL-RAT LD50: >5 G/M3 SKN-RBT LD50: >2 G/M3 LARBON DIOXIDE 3.

IHL-RAT TCLO: 10000 PPM/24(S)-30 DAY(S) CONTINUOUS 4. IHL-HMN LCLO: 9 PPM/5M 4.

SECTION VII - REACTIVITY DATA

Stability: X <--Stable <--Unstable Conditions to Avoid: AVOID HEAT, HOT SURFACES, SPARKS AND OPEN FLAMES.

Incompatibility (Materials to Avoid):

STRONG OXIDIZING AGENTS SUCH AS CHLORINE BLEACH AND CONCENTRATED HYDROGEN PEROXIDE.

Hazardous Decomposition Products: OXIDES OF CARBON.

Hazardous Polymerization: Conditions to Avoid:

<--May Occur

X <--Will Not Occur

SECTION VIII - SPILL OR LEAK PROCEDURES

Steps to be Taken if Material is Released or Spilled:
DUE TO THE NATURE OF THE AEROSOL PACKAGING, A LARGE SPILL IS UNLIKELY. FOR A SMALL SPILL, VENTILATE THE AREA AND ABSORB WITH AN INERT MATERIAL AND
TRANSFER ALL MATERIAL INTO A PROPERLY LABELED CONTAINER FOR DISPOSAL.
WEAR APPROPRIATE PROTECTIVE CLOTHING. PREVENT PRODUCT FROM CONTAMINATING SOIL OR FROM ENTERING SEWAGE AND DRAINAGE SYSTEMS AND BODIES OF WATER.

Waste Disposal Method(s):

DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS. TYPICAL DISPOSAL IS TO WRAP THE EMPTY AEROSOL CONTAINER IN SERVERAL LAYERS OF NEWSPAPER AND DISPOSE OF IN THE TRASH. AEROSOL RECYCLING PROGRAMS ARE AVAILABLE IN MANY AREAS. DO NOT FUNCTURE OR INCINERATE THIS CONTAINER.

Neutralizing Agent:

NONE KNOWN.

SECTION IX - SPECIAL PROTECTION INFORMATION

LOCAL VENTILATION IS RECOMMENDED TO CONTROL EXPOSURE FROM OPERATIONS THAT CAN GENERATE MISTS OR VAPORS.

A NIOSH/MSHA APPROVED RESPIRATOR IN POORLY VENTILATED AREAS AND/OR FOR EXPOSURE ABOVE THE ACGIH TLV OR OSHA PEL OR WHERE MISTING EXISTS

Glove Protection:

NEOPRENE OR NITRILE RUBBER GLOVES IF REPEATED OR PROLONGED SKIN CONTACT IS LIKELY.

SAFETY GLASSES WITH SIDE SHIELDS IF THE METHOD OF USE PRESENTS THE LIKELIHOOD OF EYE CONTACT.

Other Protection:

WEAR PROTECTIVE CLOTHING WHEN HANDLING.

SECTION X - STORAGE AND HANDLING INFORMATION

Storage Temperature: Indoors--> X Minimum Temperature: 32 F Maximum Temperature: 120 F

Precautions to be Taken in Handling and Storing:

DO NOT ALLOW PESTICIDE TO CONTAMINATE FOOD, FEED OR NATURAL BODIES OF WATER. USE WITH CAUTION AROUND HEAT, SPARKS, PILOT LIGHTS, STATIC ELECTRICITY AND OPEN FLAME.

Other Precautions:

KEEP OUT OF REACH OF CHILDREN. READ THE ENTIRE LABEL BEFORE USING THE PRODUCT.

MATERIAL SAFETY DATA SHEET: P-O-W PLUS AEROSOL

Page: 3

SECTION XI - REGULATORY INFORMATION (Continued)

Chemical Name

CAS Number

Upper % Limit

Phose ingredients listed above are subject to the reporting requirements of 313 of Title III of the Superfund Amendments and Reauthorization Act of

11 1-800-527-9919 for additional information if you are a California customer. Plé S is not intended for users in the state of California.

SECTION XII - REFERENCES

- 1. THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS AND BIOLOGICAL EXPOSURE INDICES, ACGIH, 2001.
- SAX'S DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, EIGHTH EDITION, RICHARD J. LEWIS, SR.

ALL COMPONENTS IN THIS PRODUCT CAN BE FOUND IN THE CURRENT TSCA INVENTORY.

ALL COMPONENTS IN THIS PRODUCT CAN BE FOUND IN THE CURRENT TSCA INVENTORY.

CORR:CORROSIVE CARC:CARCINOGENIC, TOX:TOXIC, N/A:NOT APPLICABLE, N/E:NOT ESTABLISHED, COC:CLEVELAND OPEN CUP, PMCC:PENSKY-MARTIN CLOSED CUP, CCC:TAGLIABUE CLOSED CUP, LeL:LOWER EXPLOSION LIMIT, UEL:UPPER EXPLOSION LIMIT, NFPA:NATIONAL FIRE PROTECTION ASSOCIATION, IARC:INTERNATIONAL AGENCY FOR THE RESEARCH ON CANCER, NTP:NATIONAL TOXICOLOGY PROGRAM, OSHA:OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION, ACGH:ANERICAN COMFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS, TLV:THRESHOLD LIMIT VALUE, PEL:PERMISSIBLE EXPOSURE LIMIT, STEL:SHORT-TERM EXPOSURE LIMIT, MLD:MILD, MOD:MODERATE, SEV:SEVERE, MUT:MUTAGENIC, ASPHYX:ASPHYXIANT, PNOS: PARTICULATES (INSOLUBLE) NOT OTHERWISE SPECIFIED, SDT:STANDARD DRAIZE TEST, ORL: ORAL, HMN: HUMAN, IHL: INHALATION

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE IN LIGHT OF CURRENT FORMULATION. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

CHEMSEARCH DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage, or disposal of the