

MATERIAL SAFETY DATA SHEET

SPEEDBALL Original Fragrance Power

Cleaner

井235603114

Date Prepared: 05/17/2000 Date Revised:

05/24/2000

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: SPEEDBALL Original Fragrance Power Cleaner

MANUFACTURER

The Butcher Company

67 Forest Street

Marlborough, MA 01752-3012

Butcher Telephone Number:

800-225-9475

Emergency Telephone (24 hours): 800-228-5635

CHEMTREC (U.S./Can.):

800-424-9300

CHEMITREC (Infi):

+1703-527-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S) 2-Butoxyethanol

Ethenolemine

Nonyl phenol ethoxylate

CAS NO.

9016-45-9

111-78-2 141-43-5

1-3 1 - 1.5

% BY WEIGHT

See Section 8 for Exposure Limits

NA - Not Applicable

OSHA REGULATORY STATUS: This product is classified as hazardous under OSHA regulations.

WHMIS CLASS: Class D- Division 2B

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Clear, Green Liquid. Mint Odor. Causes Eye Imitation.

POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information)

PRIMARY ROUTE(s) OF EXPOSURE: X Eye

X Skin Contact X Skin Absorption

X inhalation X ingestion

EFFECTS OF ACUTE EXPOSURE

EYES:

Causes eye irritation. Symptoms may include redness and pain.

SKIN:

May cause mild skin irritation. Symptoms may include redness.

INHALATION:

High concentrations of vapor or mist may cause nose, throat and respiratory tract imitation. Symptoms may include coughing.

Date Prepared: 05/17/2000 Date Revised:

05/24/2000

INGESTION:

May cause mouth, throat and stomach irritation. Symptoms may include nausea, vomiting and diarrhea. May also cause central nervous system effects including headache, dizziness and weakness.

EFFECTS OF CHRONIC EXPOSURE:

Prolonged or repeated contact may cause skin irritation.

MEDICAL CONDITIONS AGGRAVATED:

May aggravate pre-existing eye, skin and respiratory conditions.

4. FIRST AID MEASURES

EYES:

Flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and corilinue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get medical attention.

SKIN:

Flush with water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation

INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

INGESTION:

Do not induce vomiting. Drink large quantities of water, Get immediate medical attention. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

FLAMMABLE LIMITS:

Not applicable,

AUTOIGNITION TEMPERATURE: Not applicable.

EXTINGUISHING MEDIA:

Use extinguishing media appropriate for surrounding fire.

HAZARDOUS COMBUSTION PRODUCTS:

Normal products of combustion (carbon monoxide and carbon dioxide).

FIRE AND EXPLOSION HAZARDS:

None known.

1

MSDS No: 4043

Date Prepared: 05/17/2000 Date Revised: 05/24/2000

FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

7. HANDLING AND STORAGE

HANDLING:

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes and skin. Wash thoroughly after handling. Remove saturated clothing. Wash clothing and equipment before reuse.

STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT (PPE)

FYE

Where eye contact is possible, wear safety glasses with side shields or chemical splash goggles (ANSI Z87.1 approved).

SKINS

Where prolonged or repeated contact is possible, chemical-resistant clothing (e.g., gloves) is recommended.

RESPIRATORY:

No respiratory protection is required if ventilation is adequate.

ENGINEERING CONTROLS:

Good general room ventilation is expected to be adequate. If user operations generate vapor or mist, ventilation should be used to keep airborne concentrations below exposure limits.

Date Prepared: 05/17/2000 Date Revised: 05/24/2000

EXPOSURE LIMITS:

INGREDIENT(S)

OSHA PELISTEL

ACGIH TLV/STEL

2-Butoxyethenol

25 ppm (120 mg/m3)/ (Skin)

25 ppm (121 mg/m3)/ (Skin)

Ethanolamine

3 ppm (8 mg/m3)/ 6 ppm (15 mg/m3) 3 ppm (7.5 mg/m3)/ 6 ppm (15 mg/m3)

Nonyl phenol ethoxylate

NA

NA - Not Available

PHYSICAL AND CHEMICAL PROPERTIES 9.

PRYSICAL STATE: Liquid

ODOR: Mint

APPEARANCE: Clear, Green

pH: 11.9 to 12.7

PERCENT VOLATILE BY WEIGHT 98 VAPOR PRESSURE: Not Available VAPOR DENSITY: Not Available **BOILING POINT: Not Available** FREEZING/MELTING POINT: Not Available

SOLUBILITY IN WATER: Complete **EVAPORATION RATE: Not Available**

SPECIFIC GRAVITY: 1.00 VISCOSITY: Weter Thin

OCTANOL/WATER PARTITION COEFFICIENT: Not Available

ODOR THRESHOLD: Not Available

STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID): Stable.

POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION:

None known.

INCOMPATIBLE MATERIALS:

Strong acids (e.g., hydrochloric) and oxidizers (e.g., bleach).

11 TOXICOLOGICAL INFORMATION

ACUTE DATA:

This product is a moderate to severe eye imitant and a mild skin imitant. Based on acute toxicity testing, it is not considered to be toxic by inhalation, ingestion, or skin absorption. Acute overexposure to high concentrations of 2-butoxyethanol by skin absorption, ingestion and inhalation has caused blood, liver and kidney effects in laboratory animals. The following additional data are available for this product and its ingredients:

Date Prepared: 05/17/2000 Date Revised:

05/24/2000

ORAL LD₅₀ (ret) DERMAL LD₅₀ (rabbit) INHALATION LC50 (ref)

>5000 mg/kg >1000 mg/kg >200 mg/L (1-hr)

SPEEDBALL Original Fragrance Power Cleaner

2-Butoxyethenoi 470 mg/kg 220 mg/kg 450 ppm (4-hr) Ethanolamine 1720 mg/kg 1018 mg/kg Not Available Nonyl phenol ethoxylate 2000-5000 mg/kg 1000-3000 mg/kg Not Available

SENSITIZATION DATA:

PRODUCT/INGREDIENT

No data available.

CHRONIC DATA:

Prolonged overexposure to high concentrations of ethanolamine by inhalation and ingestion has caused liver and kidney effects in laboratory animals. Prolonged overexposure to high concentrations of 2-butoxyethanol by skin absorption, ingestion and inhalation has caused blood, liver and kidney effects in laboratory animals.

REPRODUCTIVE/TERATOGENIC DATA:

No data available.

CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

SYNERGISTIC MATERIALS:

No date available.

12 **ECOLOGICAL INFORMATION**

This product is made with all biodegradable detergents. No other data available.

13. **DISPOSAL CONSIDERATIONS**

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA hazardous waste (Corrosive-D002) in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

15. REGULATORY INFORMATION

Not meent to be all-inclusive—selected regulations represented.

MSDS No: 4043

Date Prepared: 05/17/2000 Date Revised: 05/24/2000

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hezard categories:

immediate, Delayed.

313 REPORTABLE INGREDIENTS: 2-Butoxyethanol is subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 under the chemical category Glycol Ethers.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: None of the ingredients in this product are reportable under CERCLA.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

USDA (U.S. DEPARTMENT OF AGRICULTURE):

This product is authorized for use in federally inspected meet and poultry plants.

MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:

INGREDIENT(S)	CAS NO.	STATE LISTING
Water 2-Butoxyethanol Ethanolamine Nonyl phenol ethoxylate	7732-18-5 111-76-2 141-43-5 9016-45-9	Not Listed MA, NJ, PA MA, NJ, PA Not Listed

NA - Not Applicable

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):


Class D-Division 2B, eye irritant; Class D-Division 2B, chronic toxic effects. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

HMIS RATING

		-	
HEALTH	×.	2	-
FLAMMABILITY		0	
REACTIVITY		0	
PERSONAL PROTECTION	Į.	-	-

NFPA RATING



Date Prepared: 05/17/2000 Date Revised: 05/24/2000

MSDS STATUS

1

Revision #: 2

This MSDS replaces the June 27, 1997 MSDS. Any changes in Information are as follows:

In Section

Date Prepared [] Print CHEMTREC Phone Number

In Section 3

Potential Health Effects - Skin Absorption (text)

In Section 9

(Group Field) for Vapor Pressure (Group Field) for Vapor Pressure Density Odor Threshold (text) (Group Field) for Boiling Point (Group Field) for Freezing Point (Group Field) for Evaporation Rate Coeff Oil/Water (text)

In Section 11

Toxicological (text)

In Section 15

OSHA Hazard Comm. Rule (text) WHMIS Class

APPROVED BY: EH&S/Regulatory Affairs

APPROVAL DATE: 05/24/2000

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

MSDS No: 4043