
CRC091314 Section 1: Product & Company Identification Product Name: CRC Brakleen(R) Brake Parts Cleaner (aerosol) Product Number (s) 091314 Manufactured By: CRC Industries, Inc. 885 Louis Dr. Warminster, PA 18974 CRC: (215)674-4300 Chemtrec 24-Hour Emergency Information: (800) 424-9300 Section 2: Composition/Information on Ingredients CAS ACGIH OSHA OTHER LIMITS Carbon Dioxide 124-38-9 5000ppm 10000ppm NE ~______ Section 3: Hazards Identification Emergency Overview Appearance & Odor: Colorless liquid. irritating odor at high concentrations. Danger: Vapor Harmful. Contents Under Pressure Potential Health Effects: Inhalation: Headaches, dizziness, drunkenness, irregular heartbeats, unconsciousness, irritation to upper respiratory tract and central nervous system effects. Eyes: Irritation Skin: Irritation Ingestion: NA Carcinogenicity: OSHA: Yes IAARC: Yes NTP: Yes Chronic Overexposure: Repeated overexposure have caused liver effects. Medical Conditions Aggravated by Exposure: Symptoms depend on level and duration of exposure. Section 4: First Aid Measures Inhalation: Remove to fresh air. Give artificial respiration if necessary. Flush with large amounts of water for 15 minutes. Skin: Remove contaminated clothing and wash area with soap and water. Ingestion: Call a physician. DO NOT induce vomiting. Section 5: Fire-Fighting Measures Flashpoint: None Method: TCC, TOC, COC LEL: ND UEL: ND Extinguishing Media: Water fog Hazardous Combustion Products: Hydrogen chloride, some phosgene. Fire-Fighting Instructions: Remove containers from fire area if possible. Use self-contained breathing apparatus for fire fighting. Aerosol cans may explode if heated above 120 deg F NFPA: Health: 2 Flammability: 0 Reactivity: 0 HMIS: Health: 2 Flammability: 0 Reactivity: 0 PPE: B Section 6: Accidental Release Measures Spill/Leak Procedures: Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations. section 7: Handling and Storage

Handling Procedures: Store in a cool, dry area. Aerosol cans must be maintained below 120 deg F to prevent cans from

exploding.



CRC091314

Section 8: Exposure Controls/Personal Protection Engiseering Controls: Adequate to prevent accumulation of vapors.

Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Use NIOSH/MSHA compliant respirators or self contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs.

Section 9: Physical & Chemical Properties

Physical State: Liquid Appearance & Odor: Colorless liquid, Specific Gravity: 1.619 solvent odor
Boiling Point: 250 deg.F.(estimated)

Freezing Point: ND Vapor Pressure: 13 mmHg
Evaporation Rate: rapid pH: NA Solubility: Slight in water

Volatile Organic Compounds:%: 0 g/1: 0 lbs./gal: 0

Section 10: Stability and Reactivity

Stability: Stable Hazardous Polymerization: No

Chemical Incompatibilities: Strong oxidizers

Materials to Avoid: Avoid storage in aluminum containers or contact with aluminum and/or zinc powders.

Hazardous Decomposition Products: None

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. See section 3 of this MSDS for acute symptoms of overexposure and carginogenicity information.

Section 12: Ecological Information

Ecotoxicity: No data available

Environmental Fate: No data available for biogradation

Section 13: Disposal Considerations

Disposal: This material if discarded may be hazardous waste under U.S EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

Section 14: Transportation Information

Shipping Name: Consumer Commodity
Hazard Class: ORM-D UN Number: NA Packing Group: NA
Label: NA Placard: NA

Special Provisions: NA

Section 15: Regulatory Information

TSCA: All components are either listed under TSCA or are exempt.

SARA Title III: Section 311/312: Acute Chronic

ection 313*: Tetrachloroethylene

CERCLA/Superfund (RQ): 100 lbs

Extremely Hazardous Substances: NO

California Prop 65: This product contains chemicals known to the State of California

CRC091314

to cause cancer, birth defects and other reproductive harm.

*See section 2 for percentage

Section 16: Additional Information

Prepared By: Adam M. Selisker Date: January 26,1999

Technical Information: (800)521-3168 CRC: 491G This information is accurate to the best CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS: Chemical Abstract Service NA: Not Applicable ppm: Parts per Million ND: Not Determined TCC: Tag Closed Cup NE: Not Established LEL: Lower Exposure Limit g/L: grams per Liter UEL: Upper Exposure Limit

lbs./gal: pounds per gallon PPE: Personal Protection Equipment RQ: Reportable Quantity

COC: Cleveland Closed Cup